

Date: Thursday, 1/17/2008 3:23:59 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : VERTICAL TUBE
Job Number : 36814	
Estimate Number : 12312	
P.O. Number :	Part Number : D34735
This Issue : 1/17/2008 S.O. No. :	Drawing Number : D3473 UNDER REVIEW
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL /MED FAB	Drawing Revision : B
Previous Run : 34420	Material :
Written By :	Due Date : 2/10/2008 Qty: 10 Um: Each
Checked & Approved By : <u>JA 08.01.18</u>	
Comment : Est Rev: A New Issue 06-03-02 JLM	
Est Rev: B As per Rev B 06-05-24 JLM	

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 M304S26GA 304/316 0.018 SHEET



Comment: Qty.: 0.1616 sf(s)/Unit Total : 1.6160 sf(s)

304/316 0.018 SHEET

Batch: 105891 WB 8-1-23

2.0 WATER JET 105591 FLOW WATER JET



Comment: FLOW WATER JET

Cut as per Dwg D3473

Dwg Rev: B

Prog Rev: B

WB 8-1-23

(12)

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC5 INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/01/25 (x12)

5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Deburr if necessary. WB 8-1-23

2-Roll & Bead as per Dwg D3473

3-Spot weld as per Dwg D3473

mf

mf

08-02-04

(12)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: D Date: 28/05/04
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 1/17/2008 3:23:59 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: VERTICAL TUBE

Job Number: 36814

Part Number: D34735

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC11

VISUAL INSPECTION OF SPOT WELDING



Comment: VISUAL INSPECTION OF SPOT WELDING

SB 08/02/04

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

SB 08/02/04 (12)

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: GA

MF 08-02-04 (12)

9.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

2008/02/04

Job Completion



2008/2/04

(12)

W

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



RELEASED
06-05-16



DESIGN #13	DRAWN BY #13	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #11	APPROVED #11	DRAWING NO. D3473	REV. B SHEET 1 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:4
A	06.02.07	NEW ISSUE	
B	06.05.16	D3473-5F/-7F: 9.750 & 8.810 WERE 9.60 & 8.60	



D3470-9 BOLT (1)
AN960-416 WASHER (4)
AN310-4 NUT (1)
MS24665-153 COTTER PIN (1)

UNDER REVIEW
02.04.07

DART + MANUFACTURING
CHANGES



D3473-041 BLOWER INLET ADAPTER

NOTES:

- 1) IDENTIFY WITH DART P/N D3473-041 USING FINE POINT PERMANENT INK MARKER
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010


QTY -041	P/N	DESCRIPTION
X	D3473-041	BLOWER INLET ADAPTER
1	D3470-9	BOLT
1	D3471-043	BLOWER INLET WELDMENT
1	D3474-041	INLET VALVE SHAFT
2	D3474-5	BUTTERFLY VALVE
1	D3474-7	BUTTERFLY VALVE SEAL
1	AN310-4	NUT
2	AN960-4L	WASHER
4	AN960-416	WASHER
1	MS24665-153	COTTER PIN
2	MS35206-217	SCREW
2	NAS679-A04	NUT

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>JB</i>	DRAWN BY <i>JB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. D3473	REV. B SHEET 2 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:4

RELEASED
06.05.16**D3473-043 BLOWER INLET WELDMENT****NOTES:**

- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -041	P/N	DESCRIPTION
X	D3473-043	BLOWER INLET WELDMENT
1	D3473-1	DUCT
1	D3473-3	COVER
1	D3473-5	VERTICAL TUBE
1	D3473-7	HORIZONTAL TUBE
1	D3473-9	FLANGE
2	AN960C416L	WASHER
6	NAS1031C3W	NUT PLATE

COPYRIGHT © 2006 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. D3473	REV. B SHEET 3 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:4

RELEASED
06.05.16**UNDER REVIEW**

02.04.03

DIP + MANUFACTURING
(CHARTS)**D3473-1 DUCT****D3473-1F DUCT FLAT PATTERN****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED)
2B FINISH 26 GAUGE SS (0.018 THICK)
- 2) SPOT WELD PER DART QSI 004
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES
- 7) BREAK ALL SHARP EDGES 0.005 TO 0.010



UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 36814

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>JB</i>	DRAWN BY <i>JB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>JB</i>	APPROVED <i>JB</i>	DRAWING NO. D3473	REV. B SHEET 4 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:2

RELEASED
*06-05-16***UNDER REVIEW***02.09.02**Dist. + Manufacturing
Changes***D3473-3F COVER FLAT PATTERN****D3473-3 COVER****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 26 GAUGE SS (0.018 THICK)
- 2) PART IS SYMMETRICAL ABOUT CENTERLINE
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *36814*

COPYRIGHT © 2006 BY DART AEROSPACE LTD.





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>13</i>	DRAWN BY <i>13</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>#1</i>	APPROVED <i>#1</i>	DRAWING NO. D3473	REV. B SHEET 5 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:2

**RELEASED**
*06.05.16***UNDER REVIEW**

07.04.16
Dim + Manufacturing
Changes

08.01.16**DETAIL B**
SCALE 1:1**D3473-5 VERTICAL TUBE****D3473-5F VERTICAL TUBE FLAT PATTERN****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK)
- 2) SPOT WELD PER DART QSI 004
- 3) FINISH: NONE
- 4) FLAT PATTERN IS SYMMETRICAL ABOUT CENTERLINE
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES
- 7) BREAK ALL SHARP EDGES 0.005 TO 0.010

OK PER
REV. B
maxlup

08.01.16

WORK ORDER
NO. 36814


CONTROLLED COPY
RETURN TO
ENGINEERING
SUBJECT TO AMENDMENT
WITHOUT NOTICE

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>13</i>	DRAWN BY <i>13</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>11</i>	APPROVED <i>11</i>	DRAWING NO. D3473	REV. B SHEET 6 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:2

**NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK)
- 2) SPOT WELD PER DART QSI 004
- 3) FINISH: NONE
- 4) FLAT PATTERN IS SYMMETRICAL ABOUT CENTERLINE
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES
- 7) BREAK ALL SHARP EDGES 0.005 TO 0.010



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 36814

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3473	REV. B SHEET 7 OF 7
DATE 06.05.16		TITLE BLOWER INLET ADAPTER	SCALE 1:2

UNDER REVIEW*02.04.16**Dim + Plan Factorization
Checked***RELEASED**
06.05.16**D3473-9F FLANGE FLAT PATTERN****D3473-9 FLANGE
BENDING DETAIL****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH 26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **36814**

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

SPOT WELD TEST RECORD
AMS-W-6858A
CLASS 'C'

TEST NO#: 52

EMPLOYEE: Melanie Fauriol

PART NUMBER: D3473-5

JOB NUMBER: B36814

MATERIAL TYPE: 304

MATERIAL THICKNESS: 0.018

GROUP SPECIFICATION



Group 1: Aluminum & magnesium



Group 2: Iron; nickel; cobalt



Group 3: Titanium 53

TEST RESULTS

	PASS	FAIL
VISUAL:	[<input checked="" type="checkbox"/>]	[<input type="checkbox"/>]
PENETRATION:	[<input checked="" type="checkbox"/>]	[<input type="checkbox"/>]
PULL STRENGTH:	[<input checked="" type="checkbox"/>]	[<input type="checkbox"/>]

PSI Reading: _____

Qualified in accordance with standard AMS-W-6858A and QSI 004 (ref: 4.3)

DATE OF TEST COUPON: 08/02/04
QUALIFIER: SA

